

---

## REFERENCES

---

- Aitkek, J., "Breath Figures". *Nature*, **1911**, 86, 516-517.
- Aizenberg, J., Braun, P. V., Wiltzius, P., "Patterned Colloidal Deposition Controlled by Electrostatic and Capillary Forces". *Phys. Rev. Lett*, **2000**, 84, 2997-3000.
- Altinkaya, S. A., Ozbas, B., "Modeling of asymmetric membrane formation by dry-casting method". *J. Membr. Sci.* **2004**, 230, 71-89.
- Arkles, B., "Tailoring Surfaces with Silanes". *In Chem. Tech*, **1977**, Vol. 7, pp 766.
- Baraton, M.-I., "FT-IR surface study of nanosized ceramic materials used as gas sensors". *Sensors and Actuators B, Chemical* 1996, 31, 33-38.
- Bashmakov, I. A., Govor, L. V., Solovieva, L. V., Parisi, J., "Preparation of Self-Assembled Carbon Network Structures with Magnetic Nanoparticles". *Macromol. Chem. Phys.*, **2002**, 203, 544-549.
- Beattie, D., Wong, K. H., Williams, C., Poole-Warren, L. A., Davis, T. P., Barner-Kowollik, C., Stenzel, M. H., "Honeycomb-Structured Porous Films from Polypyrrole-Containing Block Copolymers Prepared via RAFT Polymerization as a Scaffold for Cell Growth". *Biomacromolecules*, **2006**, 7, 1072-1082.
- Bhadra, S., Ranganathaiah, C., Kim, N. H., Kim, S.-I., Lee, J. H., "New hyperbranched polymers for membranes of high-temperature polymer electrolyte membrane fuel cells, Determination of the crystal structure and free-volume size". *J. Appl. Polym. Sci.*, **2011**, 121, 923-929.
- Billon, L., Manguian, M., Pellerin, V., Joubert, M., Etteradossi, O., Garay, H., "Tailoring Highly Ordered Honeycomb Films Based on Ionomer Macromolecules by the Bottom-Up Approach". *Macromolecules*, **2009**, 42, 345-356.

## References

---

- Boker, A., Lin, Y., Chiapperini, K., Horowitz, R., Thompson, M., Carreon, V., Xu, T., Abetz, C., Skaff, H., Dinsmore, A. D., Emrick, T., Russell, T. P., "Hierarchical nanoparticle assemblies formed by decorating breath figures". *Nat. Mater.* **2004**, 3, 302-306.
- Bolognesi, A., DiGianvincenzo, P., Giovanella, U., Mendichi, R., Schieroni, A. G., "Polystyrene functionalized with EDOT oligomers". *Eur. Polym. J.*, **2008**, 44, 793-800.
- Bolognesi, A., Galeotti, F., Moreau, J., Giovanella, U., Porzio, W., Scavia, G., Bertini, F., "Unsoluble ordered polymeric pattern by breath figure approach". *J. Mater. Chem. B*, **2010**, 20, 1483-1488.
- Bolognesi, A., Mercogliano, C., Yunus, S., Civardi, M., Comoretto, D., Turturro, A., "Self-Organization of Polystyrenes into Ordered Microstructured Films and Their Replication by Soft Lithography". *Langmuir* **2005**, 21, 3480-3485.
- Bruzaud, S., Handbook of Polymer nanocomposites. Processing, Performance and Application, 1 ed., Springer-Verlag Berlin Heidelberg, Berlin, 2014, Vol. A.
- Budd, P. M., Ghanem, B. S., Makhseed, S., McKeown, N. B., Msayib, K. J., Tattershall, C. E., "Polymers of intrinsic microporosity (PIMs), robust, solution-processable, organic nanoporous materials". *Chem. Commun.*, **2004**, 230-231.
- Budd, P. M., McKeown, N. B., "Highly permeable polymers for gas separation membranes". *Poly. Chem.*, **2010**, 1, 63-68.
- Bunz, U. H. F., "Breath Figures as a Dynamic Templating Method for Polymers and Nanomaterials". *Adv. Mater.* **2006**, 18, 973-989.
- Chan-Thaw, C. E., Villa, A., Katekomol, P., Su, D., Thomas, A., Prati, L., "Covalent Triazine Framework as Catalytic Support for Liquid Phase Reaction". *Nano Lett.*, **2010**, 10, 537-541.

## References

---

- Chen, X., Chen, Z., Fu, N., Lu, G., Yang, B., “Versatile Nanopatterned Surfaces Generated via Three-Dimensional Colloidal Crystals”. *Adv. Mater.* **2003**, 15, 1413-1417.
- Cheng, C. X., Tian, Y., Shi, Y. Q., Tang, R. P., Xi, F., “Porous Polymer Films and Honeycomb Structures Based on Amphiphilic Dendronized Block Copolymers”. *Langmuir* **2005**, 21, 6576-6581.
- Connal, L. A., Franks, G. V., Qiao, G. G., “Photochromic, Metal-Absorbing Honeycomb Structures”. *Langmuir* **2010**, 26, 10397-10400.
- Connal, L. A., Qiao, G. G., “Preparation of Porous Poly(dimethylsiloxane)-Based Honeycomb Materials with Hierarchical Surface Features and Their Use as Soft-Lithography Templates”. *Adv. Mater.*, **2006**, 18, 3024-3028.
- de Boer, B., Stalmach, U., Nijland, H., Hadziioannou, G., “Microporous Honeycomb-Structured Films of Semiconducting Block Copolymers and Their Use as Patterned Templates”. *Adv. Mater.*, **2000**, 12, 1581-1583.
- Decher, G., Hong, J. D., “Buildup of Ultrathin Multilayer Films by a Self-Assembly Process, II. Consecutive Adsorption of Anionic and Cationic Bipolar Amphiphiles and Polyelectrolytes on Charged Surfaces”. *Berichte der Bunsengesellschaft für physikalische Chemie*, **1991**, 95, 1430-1434.
- Du, N., Park, H. B., Robertson, G. P., Dal-Cin, M. M., Visser, T., Scoles, L., Guiver, M. D., “Polymer nanosieve membranes for CO<sub>2</sub>-capture applications”. *Nat Mater* **2011**, 10, 372-375.
- Duan, H., Kuang, M., Zhang, G., Wang, D., Kurth, D. G., Möhwald, H., “pH-Responsive Capsules Derived from Nanocrystal Templating”. *Langmuir* **2005**, 21, 11495-11499.
- Englert, B. C., Scholz, S., Leech, P. J., Srinivasarao, M., Bunz, U. H. F., “Templated Ceramic Microstructures by Using the Breath-Figure Method”. *Chem. Eur. J.*, **2005**, 11, 995-1000.

- Erdogan, B., Song, L., Wilson, J. N., Park, J. O., Srinivasarao, M., Bunz, U. H., "Permanent bubble arrays from a cross-linked poly(para-phenyleneethynylene), picoliter holes without microfabrication". *J. Am. Chem. Soc.*, **2004**, 126, 3678-3679.
- Escalé, P., Rubatat, L., Billon, L., Save, M., "Recent advances in honeycomb-structured porous polymer films prepared via breath figures". *Eur. Poly. J.*, **2012**, 48, 1001-1025.
- Ferrari, E., Fabbri, P., Pilati, F., "Solvent and Substrate Contributions to the Formation of Breath Figure Patterns in Polystyrene Films". *Langmuir*, **2011**, 27, 1874-1881.
- Fritter, D., Knobler, C. M., Beysens, D. A., "Experiments and simulation of the growth of droplets on a surface (breath figures)". *Phys. Rev. A*. **1991**, 43, 2858-2869.
- Fukuhira, Y., Ito, M., Kaneko, H., Sumi, Y., Tanaka, M., Yamamoto, S., Shimomura, M., "Prevention of postoperative adhesions by a novel honeycomb-patterned poly(lactide) film in a rat experimental model". *J. Biomed. Mater. Res. Part B Appl. Biomater.*, **2008**, 86B, 353-359.
- Galeotti, F., Calabrese, V., Cavazzini, M., Quici, S., Poleunis, C., Yunus, S., Bolognesi, A., "Self-Functionalizing Polymer Film Surfaces Assisted by Specific Polystyrene End-Tagging". *Chem. Mater.* **2010**, 22, 2764-2769.
- Geissler, M., Xia, Y., "Patterning, Principles and Some New Developments". *Adv. Mater.*, **2004**, 16, 1249-1269.
- Ghanem, B. S., McKeown, N. B., Budd, P. M., Fritsch, D., "Polymers of Intrinsic Microporosity Derived from Bis(phenazyl) Monomers". *Macromolecules* **2008**, 41, 1640-1646.
- Ghannam, L., Manguian, M., Francois, J., Billon, L., "A versatile route to functional biomimetic coatings, ionomers for honeycomb-like structures". *Soft Matter* **2007**, 3, 1492-1499.

## References

---

- Hansen, C. M., "Hansen Solubility Parameters, A User's Handbook", Second Edition, CRC Press, New York, **2007**.
- Hernandez-Guerrero, M., Stenzel, M. H., "Honeycomb structured polymer films via breath figures". *Poly. Chem.*, **2012**, 3, 563-577.
- Hillmyer, M. A., "Nanoporous Materials from Block Copolymer Precursors". In *Block Copolymers II*, Abetz, V., Ed., Springer Berlin Heidelberg, Berlin, Heidelberg, **2005**, pp 137-181.
- Hu, X., An, Q., Li, G., Tao, S., Liu, J., "Imprinted Photonic Polymers for Chiral Recognition". *Angew. Chem. Int. Ed.*, **2006**, 45, 8145-8148.
- Hu, X., Li, G., Li, M., Huang, J., Li, Y., Gao, Y., Zhang, Y., "Ultrasensitive Specific Stimulant Assay Based on Molecularly Imprinted Photonic Hydrogels". *Adv. Funct. Mater.*, **2008**, 18, 575-583.
- Huang, C., Kamra, T., Chaudhary, S., Shen, X., "Breath Figure Patterns Made Easy". *ACS Appl. Mater. Interfaces*. **2014**, 6, 5971-5976.
- Huang, J., Tao, C.-a., An, Q., Zhang, W., Wu, Y., Li, X., Shen, D., Li, G., "3D-ordered macroporous poly(ionic liquid) films as multifunctional materials". *Chem. Commun.*, **2010**, 46, 967-969.
- Imhof, A., Pine, D. J., "Ordered macroporous materials by emulsion templating". *Nature* **1997**, 389, 948-951.
- Jenekhe, S. A., Chen, X. L., "Self-assembly of ordered microporous materials from rod-coil block copolymers". *Science (New York, N.Y.)* **1999**, 283, 372-5.
- Jiang, J. X., Cooper, A. I., "Microporous organic polymers, design, synthesis, and function". *Top Curr Chem.*, **2010**, 293, 1-33.
- Jiang, X., Zhou, X., Zhang, Y., Zhang, T., Guo, Z., Gu, N., "Interfacial Effects of In Situ-Synthesized Ag Nanoparticles on Breath Figures". *Langmuir* **2010**, 26, 2477-2483.

## References

---

- Kabuto, T., Hashimoto, Y., Karthaus, O., "Thermally Stable and Solvent Resistant Mesoporous Honeycomb Films from a Cross linkable Polymer". *Adv. Funct. Mater.* **2007**, 17, 3569-3573.
- Kaiser, E., Colescott, R. L., Bossinger, C. D., Cook, P. I., "Color test for detection of free terminal amino groups in the solid-phase synthesis of peptides". *Anal. Biochem.*, **1970**, 34, 595-598.
- Karikari, A. S., Williams, S. R., Heisey, C. L., Rawlett, A. M., Long, T. E., "Porous thin films based on photo-cross-linked star-shaped poly(D,L-lactide)s". *Langmuir* **2006**, 22, 9687-93.
- Kasai, W., Kondo, T., "Fabrication of Honeycomb-Patterned Cellulose Films". *Macromol. Biosci.*, **2004**, 4, 17-21.
- Ke, B.-B., Wan, L.-S., Xu, Z.-K., "Controllable Construction of Carbohydrate Microarrays by Site-Directed Grafting on Self-Organized Porous Films". *Langmuir* **2010**, 26, 8946-8952.
- Kim, J. K., Yang, S. Y., Lee, Y., Kim, Y., "Functional nanomaterials based on block copolymer self-assembly". *Prog. Polym. Sci.*, **2010**, 35, 1325-1349.
- Kimmins, S. D., Cameron, N. R., "Functional Porous Polymers by Emulsion Templating, Recent Advances". *Adv. Funct. Mater.*, **2011**, 21, 211-225.
- Knobler, C. M., Beysens, D., "Growth of Breath Figures on Fluid Surfaces". *EPL (Europhysics Letters)*, **1988**, 6, 707.
- Kon, K., Brauer, C. N., Hidaka, K., Löhmannsröben, H.-G., Karthaus, O., "Preparation of Patterned Zinc Oxide Films by Breath Figure Templating". *Langmuir* **2010**, 26, 12173-12176.
- Kou, Y., Xu, Y., Guo, Z., Jiang, D., "Super capacitive Energy Storage and Electric Power Supply Using an Aza-Fused  $\pi$ -Conjugated Microporous Framework". *Angew. Chem. Int. Ed.*, **2011**, 50, 8753-8757.

## References

---

- Kurono, N., Shimada, R., Ishihara, T., Shimomura, M., "Fabrication and Optical Property of Self-Organized Honeycomb-Patterned Films". *Mol. Cryst. Liq. Cryst. Sci. Technol.* **2002**, 377, 285-288.
- Li, B., Huang, X., Liang, L., Tan, B., "Synthesis of uniform microporous polymer nanoparticles and their applications for hydrogen storage". *J. Mater. Chem.*, **2010**, 20, 7444-7450.
- Li, C., Hong, G., Yu, H., Qi, L., "Facile Fabrication of Honeycomb-Patterned Thin Films of Amorphous Calcium Carbonate and Mosaic Calcite". *Chem. Mater.*, **2010**, 22, 3206-3211.
- Li, G., Liu, G., Kang, E. T., Neoh, K. G., Yang, X., "pH-Responsive Hollow Polymeric Microspheres and Concentric Hollow Silica Microspheres from Silica-Polymer Core-Shell Microspheres". *Langmuir*. **2008**, 24, 9050-9055.
- Li, H., Yan, Y., Liu, B., Chen, W., Chen, S., "Studies of surface functional modification of nanosized  $\alpha$ -alumina". *Powder Technol.*, **2007**, 178, 203-207.
- Li, L., Zhong, Y., Gong, J., Li, J., Chen, C., Zeng, B., Ma, Z., "Constructing robust 3-dimensionally conformal micropatterns, vulcanization of honeycomb structured polymeric films". *Soft Matter*. **2011**, 7, 546-552.
- Li, W., Yoon, J. A., Matyjaszewski, K., "Dual-Reactive Surfactant Used for Synthesis of Functional Nano capsules in Mini emulsion". *J. Am. Chem. Soc.*, **2010**, 132, 7823-7825.
- Li, X., Zhang, L., Wang, Y., Yang, X., Zhao, N., Zhang, X., Xu, J., "A Bottom-Up Approach To Fabricate Patterned Surfaces with Asymmetrical TiO<sub>2</sub> Microparticles Trapped in the Holes of Honeycomblike Polymer Film". *J. Am. Chem. Soc.*, **2011**, 133, 3736-3739.
- Li, Y., Lee, E. J., Cai, W., Kim, K. Y., Cho, S. O., "Unconventional Method for Morphology-Controlled Carbonaceous Nanoarrays Based on Electron Irradiation of a Polystyrene Colloidal Monolayer". *ACS Nano* **2008**, 2, 1108-1112.

## References

---

- Liu, R., Cho, S. I., Lee, S. B., "Poly(3,4-ethylenedioxythiophene) nanotubes as electrode materials for a high-powered supercapacitor". *Nanotechnology*, **2008**, 19, 215710.
- Lord, H. T., Quinn, J. F., Angus, S. D., Whittaker, M. R., Stenzel, M. H., Davis, T. P., "Microgel stars via Reversible Addition Fragmentation Chain Transfer (RAFT) polymerisation - a facile route to macroporous membranes, honeycomb patterned thin films and inverse opal substrates". *J. Mater. Chem.*, **2003**, 13, 2819-2824.
- Love, J. C., Estroff, L. A., Kriebel, J. K., Nuzzo, R. G., Whitesides, G. M., "Self-Assembled Monolayers of Thiolates on Metals as a Form of Nanotechnology". *Chem. Rev.*, **2005**, 105, 1103-1170.
- Ma, H., Cui, J., Song, A., Hao, J., "Fabrication of freestanding honeycomb films with through-pore structures via air/water interfacial self-assembly. *Chem. Commun.*, **2011**, 47, 1154-1156.
- Mao, H., Hillmyer, M. A., "Nanoporous Polystyrene by Chemical Etching of Poly(ethylene oxide) from Ordered Block Copolymers". *Macromolecules* **2005**, 38, 4038-4039.
- Martín, J., Mijangos, C., "Tailored Polymer-Based Nanofibers and Nanotubes by Means of Different Infiltration Methods into Alumina Nanopores". *Langmuir* **2009**, 25, 1181-1187.
- Maruyama, N., Koito, T., Nishida, J., Sawadaishi, T., Cieren, X., Ijiro, K., Karthaus, O., Shimomura, M., "Mesoscopic patterns of molecular aggregates on solid substrates". *Thin Solid Films*. **1998**, 327-329, 854-856.
- Maschmeyer, T., Rey, F., Sankar, G., Thomas, J. M., "Heterogeneous catalysts obtained by grafting metallocene complexes onto mesoporous silica". *Nature* **1995**, 378, 159-162.



## References

---

- Menard, E., Meitl, M. A., Sun, Y., Park, J. U., Shir, D. J., Nam, Y. S., Jeon, S., Rogers, J. A., "Micro- and nanopatterning techniques for organic electronic and optoelectronic systems". *Chem. Rev.*, **2007**, 107, 1117-60.
- Meng, Q. B., Fu, C. H., Einaga, Y., Gu, Z. Z., Fujishima, A., Sato, O., "Assembly of Highly Ordered Three-Dimensional Porous Structure with Nanocrystalline TiO<sub>2</sub> Semiconductors". *Chem. Mater.*, **2002**, 14, 83-88.
- Moran, I. W., Cheng, D. F., Jhaveri, S. B., Carter, K. R., "High-resolution soft lithography of thin film resists enabling nanoscopic pattern transfer". *Soft Matter*. **2008**, 4, 168-176.
- Muñoz-Bonilla, A., Fernández-García, M., Rodríguez-Hernández, J., "Towards hierarchically ordered functional porous polymeric surfaces prepared by the breath figures approach". *Prog. Polym. Sci.* **2014**, 39, 510-554.
- Muñoz-Bonilla, A., Ibarboure, E., Bordegé, V., Fernández-García, M., Rodríguez-Hernández, J., "Fabrication of Honeycomb-Structured Porous Surfaces Decorated with Glyco-polymers". *Langmuir* **2010**, 26, 8552-8558.
- Muñoz-Bonilla, A., Ibarboure, E., Papon, E., Rodriguez-Hernandez, J., "Engineering polymer surfaces with variable chemistry and topography". *J. Poly. Sci. A, Poly. Chem.*, **2009**, 47, 2262-2271.
- Nair, B. P., "Polystyrene-Clay Nanocomposite Exhibiting Self-Assembling Properties, Microvesicles for Guest-Encapsulation". University of Kerala, **2009**.
- Nair, B. P., Pavithran, C., "Micropatterned Surfaces through Moisture-Induced Phase-Separation of Polystyrene-Clay Nanocomposite Particles". *Langmuir* **2010**, 26, 12948-12952.
- Nishida, J., Nishikawa, K., Nishimura, S.-I., Wada, S., Karino, T., Nishikawa, T., Ijiro, K., Shimomura, M., "Preparation of Self-Organized Micro-Patterned Polymer Films Having Cell Adhesive Ligands". *Polym. J.*, **2002**, 34, 166-174.

## References

---

- Nishikawa, T., Ookura, R., Nishida, J., Arai, K., Hayashi, J., Kurono, N., Sawadaishi, T., Hara, M., Shimomura, M., "Fabrication of Honeycomb Film of an Amphiphilic Copolymer at the Air–Water Interface". *Langmuir* **2002**, 18, 5734-5740.
- Nurmawati, M. H., Ajikumar, P. K., Renu, R., Valiyaveetil, S., "Hierarchical Self-Organization of Nanomaterials into Two-Dimensional Arrays Using Functional Polymer Scaffold". *Adv. Funct. Mater.*, **2008**, 18, 3213-3218.
- Nyström, D., Malmström, E., Hult, A., Blakey, I., Boyer, C., Davis, T. P., Whittaker, M. R., "Biomimetic Surface Modification of Honeycomb Films via a "Grafting From" Approach". *Langmuir* **2010**, 26, 12748-12754.
- Oliver, W. C., Pharr, G. M., "An improved technique for determining hardness and elastic modulus using load and displacement sensing indentation experiments". *J. Mater. Res.* **1992**, 7, 1564-1583.
- Olson, D. A., Chen, L., Hillmyer, M. A., "Templating Nanoporous Polymers with Ordered Block Copolymers". *Chem. Mater.*, **2008**, 20, 869-890.
- Park, N., Seo, M., Kim, S. Y., " Particle and breath figure formation of triblock copolymers having self-complementary hydrogen-bonding units". *J. Poly. Sci. A, Poly. Chem.*, **2012**, 50, 4408-4414.
- Park, S., Wang, J.-Y., Kim, B., Russell, T. P., "From Nanorings to Nanodots by Patterning with Block Copolymers". *Nano Lett.*, **2008**, 8, 1667-1672.
- Pieranski, P., "Two-Dimensional Interfacial Colloidal Crystals". *Phys. Rev. Lett.*, **1980**, 45, 569-572.
- Pierre, S. J., Thies, J. C., Dureault, A., Cameron, N. R., van Hest, J. C. M., Carette, N., Michon, T., Weberskirch, R., "Covalent Enzyme Immobilization onto Photo polymerized Highly Porous Monoliths". *Adv. Mater.* **2006**, 18, 1822-1826.

## References

---

- Pietsch, T., Gindy, N., Fahmi, A., "Nano- and micro-sized honeycomb patterns through hierarchical self-assembly of metal-loaded diblock copolymer vesicles". *Soft Matter* **2009**, 5, 2188-2197.
- Pilati, F., Montecchi, M., Fabbri, P., Synytska, A., Messori, M., Toselli, M., Grundke, K., Pospiech, D., "Design of surface properties of PET films, Effect of fluorinated block copolymers". *J. Colloid Interface Sci.*, **2007**, 315, 210-222.
- Pitois, O., François, B., "Formation of ordered micro-porous membranes". *Eur. Phys. J. B - Condensed Matter and Complex Systems* **1999**, 8, 225-231.
- PL, K., "Growth of a single drop formed by diffusion and adsorption of monomers on a two-dimensional substrate". *Phys. Rev. E.* **1993**, 47, 1199-1202.
- Randall, N. X., "Direct measurement of residual contact area and volume during the nanoindentation of coated materials as an alternative method of calculating hardness". *Philos. Mag. A.* **2002**, 82, 1883-1892.
- Rayleigh, L., "Breath Figures". *Nature* **1911**, 416-417.
- Rayleigh, L., "Breath Figures". *Nature* **1912**, 90, 436-438
- Rzayev, J., Hillmyer, M. A., "Nanoporous Polystyrene Containing Hydrophilic Pores from an ABC Triblock Copolymer Precursor." *Macromolecules* **2005**, 38, 3-5.
- Sakatani, Y., Boissière, C., Grosso, D., Nicole, L., Soler-Illia, G. J. A. A., Sanchez, C., "Coupling Nanobuilding Block and Breath Figures Approaches for the Designed Construction of Hierarchically Templated Porous Materials and Membranes". *Chem. Mater.* **2008**, 20, 1049-1056.
- Samanta, S., Chatterjee, D. P., Layek, R. K., Nandi, A. K., "Multifunctional Porous Poly(vinylidene fluoride)-graft-Poly(butyl methacrylate) with Good Li<sup>+</sup> Ion Conductivity". *Macromol. Chem. Phys.*, **2011**, 212, 134-149.
- Saunders, A. E., Shah, P. S., Sigman, M. B., Hanrath, T., Hwang, H. S., Lim, K. T., Johnston, K. P., Korgel, B. A., "Inverse Opal Nanocrystal Super lattice Films". *Nano Lett.*, **2004**, 4, 1943-1948.

## References

---

- Schatz, M. F., Neitzel, G. P., "Experiments on Thermocapillary Instabilities". *Ann. Rev. Fluid Mech.*, **2001**, 33, 93-127.
- Servoli, E., Ruffo, G. A., Migliaresi, C., "Interplay of kinetics and interfacial interactions in breath figure templating - A phenomenological interpretation". *Polym.*, **2010**, 51, 2337-2344.
- Shah, P. S., Sigman, M. B., Stowell, C. A., Lim, K. T., Johnston, K. P., Korgel, B. A., "Single-Step Self-Organization of Ordered Macroporous Nanocrystal Thin Films". *Adv. Mater.*, **2003**, 15, 971-974.
- Shi, X., Graiver, D., Narayan, R., "Hydrolysis and Condensation of Hydrophilic Alkoxysilanes Under Acidic Conditions". *Silicon*. **2012**, 4, 109-119.
- Shojaie, S. S., Krantz, W. B., Greenberg, A. R., "Dense polymer film and membrane formation via the dry-cast process part I. Model development". *J. Membr. Sci.*, **1994**, 94, 255-280.
- Sokuler, M., Auernhammer, G. K., Roth, M., Liu, C., Bonacurro, E., Butt, H.-J., "The Softer the Better, Fast Condensation on Soft Surfaces". *Langmuir* **2010**, 26, 1544-1547.
- Srinivasarao, M., Collings, D., Philips, A., Patel, S., "Three-dimensionally ordered array of air bubbles in a polymer film". *Science (New York, N.Y.)* **2001**, 292, 79-83.
- Stenzel, M. H., "Formation of Regular Honeycomb-Patterned Porous Film by Self-Organization". *Aust. J. Chem.*, **2002**, 55, 239-243.
- Stenzel, M. H., Barner-Kowollik, C., Davis, T. P., "Formation of honeycomb-structured, porous films via breath figures with different polymer architectures". *J. Polym. Sci. Part A, Polym. Chem.*, **2006**, 44, 2363-2375.
- Stenzel, M. H., Davis, T. P., "Biomimetic Honeycomb-Structured Surfaces Formed from Block Copolymers Incorporating Acryloyl Phosphoryl choline". *Aust. J. Chem.* **2003**, 56, 1035-1038.

- Stenzel-Rosenbaum, M. H., Davis, T. P., Fane, A. G., Chen, V., "Porous Polymer Films and Honeycomb Structures Made by the Self-Organization of Well-Defined Macromolecular Structures Created by Living Radical Polymerization Techniques". *Angew. Chem. Int. Ed.* **2001**, 40, 3428-3432.
- Steyer, A., Guenoun, P., Beysens, D., Knobler, C. M., "Two-dimensional ordering during droplet growth on a liquid surface". *Phys. Rev. B*: **1990**, 42, 1086-1089.
- Stoykovich, M. P., Müller, M., Kim, S. O., Solak, H. H., Edwards, E. W., de Pablo, J. J., Nealey, P. F., "Directed Assembly of Block Copolymer Blends into Nonregular Device-Oriented Structures". *Science (New York, N.Y.)* **2005**, 308, 1442-1446.
- Sun, G., Fang, H., Cheng, C., Lu, P., Zhang, K., Walker, A. V., Taylor, J.-S. A., Wooley, K. L., "Benzaldehyde-Functionalized Polymer Vesicles". *ACS Nano* **2009**, 3, 673-681.
- Sun, W., Ji, J., Shen, J., "Rings of Nanoparticle-Decorated Honeycomb-Structured Polymeric Film, The Combination of Pickering Emulsions and Capillary Flow in the Breath Figures Method". *Langmuir* **2008**, 24, 11338-11341.
- Sun, W., Shao, Z., Ji, J., "Particle-assisted fabrication of honeycomb-structured hybrid films via breath figures method". *Polym.*, **2010**, 51, 4169-4175.
- Tadayyon, G., Zebarjad, S. M., Sajjadi, S. A., "Effect of both nano-size alumina particles and severe deformation on polyethylene crystallinity index". *J. Thermoplast. Compos. Mater.* **2011**, 479-490
- Tanaka, M., Nishikawa, K., Okubo, H., Kamachi, H., Kawai, T., Matsushita, M., Todo, S., Shimomura, M., "Control of hepatocyte adhesion and function on self-organized honeycomb-patterned polymer film". *Colloids Surf., A, Physicochemical and Engineering Aspects* **2006**, 284-285, 464-469.

## References

---

- Tanev, P. T., Chibwe, M., Pinnavaia, T. J., "Titanium-containing mesoporous molecular sieves for catalytic oxidation of aromatic compounds". *Nature* **1994**, 368, 321-3.
- Teramoto, M., Kitada, S., Ohnishi, N., Matsuyama, H., Matsumiya, N., "Separation and concentration of CO<sub>2</sub> by capillary-type facilitated transport membrane module with permeation of carrier solution". *J. Membr. Sci.*, **2004**, 234, 83-94.
- Thomas, A., Goettmann, F., Antonietti, M., "Hard Templates for Soft Materials, Creating Nanostructured Organic Materials". *Chem. Mater.* **2008**, 20, 738-755.
- Truong, L. T., Larsen, Å., Holme, B., Diplas, S., Hansen, F. K., Roots, J., Jørgensen, S., "Dispersibility of silane-functionalized alumina nanoparticles in syndiotactic polypropylene". *Surf. Interface Anal.*, **2010**, 42, 1046-1049.
- Tseng, W.-H., Chen, C.-K., Chiang, Y.-W., Ho, R.-M., Akasaka, S., Hasegawa, H., "Helical Nanocomposites from Chiral Block Copolymer Templates". *J. Am. Chem. Soc.* **2009**, 131, 1356-1357.
- Tu, Z., Tang, H., Shen, X., "Particle-Assisted Semidirect Breath Figure Method, A Facile Way to Endow the Honeycomb-Structured Petri Dish with Molecular Recognition Capability". *ACS Appl. Mater. Interfaces.* **2014**, 6, 12931-12938.
- Vohra, V., Bolognesi, A., Calzaferri, G., Botta, C., "Multilevel Organization in Hybrid Thin Films for Optoelectronic Applications". *Langmuir* **2009**, 25, 12019-12023.
- Voronkov, M. G., Lavrent'yev, V. I., "Polyhedral oligosilsesquioxanes and their homo derivatives. In *Inorganic Ring Systems*", Springer Berlin Heidelberg, Berlin, Heidelberg, **1982**, pp 199-236.
- Wan, L.-S., Li, Q.-L., Chen, P.-C., Xu, Z.-K., "Patterned biocatalytic films via one-step self-assembly". *Chem. Commun.* **2012**, 48, 4417-4419.

## References

---

- Wan, Y., Shi, Y., Zhao, D., "Supramolecular Aggregates as Templates, Ordered Mesoporous Polymers and Carbons". *Chem. Mater.* **2008**, 20, 932-945.
- Wang, J., Shen, H.-X., Wang, C.-F., Chen, S., "Multifunctional ionomer-derived honeycomb-patterned architectures and their performance in light enhancement of light-emitting diodes". *J. Mater. Chem.* **2012**, 22, 4089-4096.
- Wang, J., Wang, C.-F., Shen, H.-X., Chen, S., "Quantum-dot-embedded ionomer-derived films with ordered honeycomb structures via breath figures". *Chem. Commun.*, **2010**, 46, 7376-7378.
- Wang, Y., Li, F., "An emerging pore-making strategy, confined swelling-induced pore generation in block copolymer materials". *Adv. Mater.* **2011**, 23, 2134-48.
- Widawski, G., Rawiso, M., Francois, B., "Self-organized honeycomb morphology of star-polymer polystyrene films". *Nature* **1994**, 369, 387-389.
- Witte mann, A., Azzam, T., Eisenberg, A., "Biocompatible Polymer Vesicles from Biamphiphilic Triblock Copolymers and Their Interaction with Bovine Serum Albumin". *Langmuir* **2007**, 23, 2224-2230.
- Wong, K. H., Davis, T. P., Barner-Kowollik, C., Stenzel, M. H., "Honeycomb structured porous films from amphiphilic block copolymers prepared via RAFT polymerization". *Polym.* **2007**, 48, 4950-4965.
- Wong, K. H., Stenzel, M. H., Duvall, S., Ladouceur, F., "Exploitable Flexible Honeycomb Structured Porous Films from Sol-Gel Cross-Linkable Silicone Based Random Branched Copolymers". *Chem. Mater.*, **2010**, 22, 1878-1891.
- Wood, C. D., Tan, B., Trewin, A., Su, F., Rosseinsky, M. J., Bradshaw, D., Sun, Y., Zhou, L., Cooper, A. I., "Microporous Organic Polymers for Methane Storage". *Adv. Mater.*, **2008**, 20, 1916-1921.
- Xia, Y., Whitesides, G. M., "Soft Lithography". *Angewan Angew. Chem. Int. Ed.* **1998**, 37, 550-575.

## References

---

- Xiong, X., Lin, M., Zou, W., Liu, X., "Kinetic control of preparing honeycomb patterned porous film by the method of breath figure". *React. Funct. Polym.* **2011**, 71, 964-971.
- Xu, X., Heng, L., Zhao, X., Ma, J., Lin, L., Jiang, L., "Multiscale bio-inspired honeycomb structure material with high mechanical strength and low density." *J. Mater. Chem.* **2012**, 22, 10883-10888.
- Xue, L., Zhang, J., Han, Y., "Phase separation induced ordered patterns in thin polymer blend films". *Prog. Polym. Sci.* **2012**, 37, 564-594.
- Xue, M. J., Xiao, W. T., Zhang, Z. J., "Porous Films from Transformation of Polymeric Sphere Arrays". *Adv. Mater.*, **2008**, 20, 439-442.
- Yabu, H., Shimomura, M., "Miniaturization of Surface Patterns by Combination of Contact Etching Lithography and Multi-step Shrinking of Stretched Polymer Films". *Polym. J.*, **2008**, 40, 534-537.
- Yabu, H., Tanaka, M., Ijiri, K., Shimomura, M., "Preparation of Honeycomb-Patterned Polyimide Films by Self-Organization". *Langmuir* **2003**, 19, 6297-6300.
- Yi Wu, C., Chiang, T. H., Hsu, C. C., "Fabrication of microlens array diffuser films with controllable haze distribution by combination of breath figures and replica molding methods". *Opt. Express* **2008**, 16, 19978-19986.
- You, B., Wen, N., Zhou, S., Wu, L., Zhao, D., "Facile Method for Fabrication of Nanocomposite Films with an Ordered Porous Surface". *J. Phys. Chem. B.* **2008**, 112, 7706-7712.
- Young, T.-H., Huang, J.-H., Chuang, W. Y., "Effect of evaporation temperature on the formation of particulate membranes from crystalline polymers by dry-cast process". *Eur. Polym. J.* **2002**, 38, 63-72.
- Yunus, S., Delcorte, A., Poleunis, C., Bertrand, P., Bolognesi, A., Botta, C., "A Route to Self-Organized Honeycomb Microstructured Polystyrene Films and Their



## References

---

- Chemical Characterization by ToF-SIMS Imaging". *Adv. Funct. Mater.*, **2007**, 17, 1079-1084.
- Zhang, Y., Ding, H., Wei, S., Liu, S., Wang, Y., Xiao, F.-S., "Hierarchical macroporous epoxy resin templated from single semi-fluorinated surfactant". *J. Porous Mater.* **2010**, 17, 693-698.
- Zhang, Y., Wang, C., "Micropatterning of Proteins on 3D Porous Polymer Film Fabricated by Using the Breath-Figure Method". *Adv. Mater.*, **2007**, 19, 913-916.
- Zhao, B., Zhang, J., Wang, X., Li, C., "Water-assisted fabrication of honeycomb structure porous film from poly(l-lactide)". *J. Mater. Chem.*, **2006**, 16, 509-513.
- Zhao, C., Danish, E., Cameron, N. R., Katakya, R., "Emulsion-templated porous materials (PolyHIPEs) for selective ion and molecular recognition and transport, applications in electrochemical sensing". *J. Mater. Chem.*, **2007**, 17, 2446-2453.
- Zhou, N., Bates, F. S., Lodge, T. P., "Mesoporous Membrane Templated by a Polymeric Bicontinuous Microemulsion". *Nano Lett.*, **2006**, 6, 2354-2357.